



BARGE "EMS-3042" ENTERPRISE MARINE OUTAGE TABLE

1 PORT

BARGE SHOULD BE ON EVEN LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4163

Table with columns for gauge height (0 FT. to 14 FT.) and corresponding measurements for various gauges. Includes a diagonal line in the upper right section.

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT: 14'-11 1/4" (TO RIM OF 2" DIAMETER BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION (with signature)

STRAPPED: 11/16/05



BARGE "EMS-3042" ENTERPRISE MARINE OUTAGE TABLE

1 STAR

HULL NO. 4163

Table with columns: M, N, 0 FT., 1 FT., 2 FT., 3 FT., 4 FT., 5 FT., 6 FT., 7 FT., 8 FT., 9 FT., 10 FT., 11 FT., 12 FT., 13 FT., 14 FT. Rows contain capacity data for various heights.

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT:

14'-11 1/2" (TO RIM OF 2" DIAMETER BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION

Signature

STRAPPED: 11/7695



**BARGE "EMS-3042"
ENTERPRISE MARINE
OUTAGE TABLE**

2 PORT OR STAR

HULL NO. 4163		BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN													
IN	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT :

14'-11 1/2" (TO RIM OF 2" DIAMETER BALL VALVE
LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION

STRAPPED: 11/16/95



BARGE "EMS-3042" ENTERPRISE MARINE OUTGAGE TABLE

3 PORT

BARGE SHOULD BE ON EVEN LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4163

Table with columns for gauge height (0 FT. to 14 FT.) and corresponding measurements for various gauges. Includes a note: CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS.

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT: 14'-11" (TO RIM OF 2" DIAMETER BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION (with signature)



BARGE "EMS-3042" ENTERPRISE MARINE OUTAGE TABLE

3 STAR

HULL NO. 4163

Table with columns for gauge height (0 FT. to 14 FT.) and corresponding measurements. Includes a diagonal line across the top section.

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT: 14'-11 1/2" (TO RIM OF 2" DIAMETER BALL VALVE LOCATED NEAR CENTER OF TANK)

STRAPPED: 11/7/95

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



BARGE "EMS-3042"
ENTERPRISE MARINE
INMAGE TABLE

2 PORT OR STAR

BARGE SHOULD BE ON EVEN LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4163

Table with columns: M, N, 0 FT., 1 FT., 2 FT., 3 FT., 4 FT., 5 FT., 6 FT., 7 FT., 8 FT., 9 FT., 10 FT., 11 FT., 12 FT., 13 FT., 14 FT. and rows of numerical data for barge gauging.

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT:

14'-1 1/2" (TO RIM OF 2" DIAMETER BALL VALVE
LOCATED NEAR CENTER OF TANK)

STRAPPED: 11/16/95

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



ISO 9002 ACCREDITED

**BARGE "EMS-3042"
ENTERPRISE MARINE
INMAGE TABLE**

3 PORT

BARGE SHOULD BE ON EVEN LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4163

M	0 FT.	M	1 FT.	M	2 FT.	M	3 FT.	M	4 FT.	M	5 FT.	M	6 FT.	M	7 FT.	M	8 FT.	M	9 FT.	M	10 FT.	M	11 FT.	M	12 FT.	M	13 FT.	M	14 FT.								
0	20.28	0	378.76	0	749.80	0	1,120.84	0	1,491.88	0	1,862.92	0	2,233.96	0	2,605.00	0	2,976.04	0	3,347.08	0	3,718.12	0	4,089.16	0	4,460.20	0	4,831.24	0	5,202.28	0	5,573.32	0	5,944.36	0	6,315.40		
1/4	25.11	1/4	386.49	1/4	757.53	1/4	1,128.57	1/4	1,499.61	1/4	1,870.65	1/4	2,241.69	1/4	2,612.73	1/4	2,983.77	1/4	3,354.81	1/4	3,725.85	1/4	4,096.89	1/4	4,467.93	1/4	4,838.97	1/4	5,210.01	1/4	5,581.05	1/4	5,952.09	1/4	6,323.13		
1/2	29.95	1/2	394.22	1/2	765.26	1/2	1,136.30	1/2	1,507.34	1/2	1,878.38	1/2	2,249.42	1/2	2,620.46	1/2	2,991.50	1/2	3,362.54	1/2	3,733.58	1/2	4,104.62	1/2	4,475.66	1/2	4,846.70	1/2	5,217.74	1/2	5,588.78	1/2	5,959.82	1/2	6,330.86		
3/4	34.78	3/4	401.95	3/4	772.99	3/4	1,144.03	3/4	1,515.07	3/4	1,886.11	3/4	2,257.15	3/4	2,628.19	3/4	2,999.23	3/4	3,370.27	3/4	3,741.31	3/4	4,112.35	3/4	4,483.39	3/4	4,854.43	3/4	5,225.47	3/4	5,596.51	3/4	5,967.55	3/4	6,338.59		
1	41.54	1	409.69	1	780.72	1	1,151.76	1	1,522.80	1	1,893.84	1	2,264.88	1	2,635.92	1	3,006.96	1	3,378.00	1	3,749.04	1	4,120.08	1	4,491.12	1	4,862.16	1	5,233.20	1	5,604.24	1	5,975.28	1	6,346.32		
1/4	48.30	1/4	417.41	1/4	788.45	1/4	1,159.49	1/4	1,530.53	1/4	1,901.57	1/4	2,272.61	1/4	2,643.65	1/4	3,014.69	1/4	3,385.73	1/4	3,756.77	1/4	4,127.81	1/4	4,498.85	1/4	4,869.89	1/4	5,240.93	1/4	5,611.97	1/4	5,983.01	1/4	6,354.05		
1/2	55.07	1/2	425.14	1/2	796.18	1/2	1,167.22	1/2	1,538.26	1/2	1,909.30	1/2	2,280.34	1/2	2,651.38	1/2	3,022.42	1/2	3,393.46	1/2	3,764.50	1/2	4,135.54	1/2	4,506.58	1/2	4,877.62	1/2	5,248.66	1/2	5,619.70	1/2	5,990.74	1/2	6,361.78		
3/4	61.83	3/4	432.87	3/4	803.91	3/4	1,173.95	3/4	1,544.99	3/4	1,917.03	3/4	2,288.07	3/4	2,659.11	3/4	3,030.15	3/4	3,401.19	3/4	3,772.23	3/4	4,143.27	3/4	4,514.31	3/4	4,885.35	3/4	5,256.39	3/4	5,627.43	3/4	5,998.47	3/4	6,369.51		
2	69.56	2	440.60	2	811.64	2	1,182.68	2	1,553.72	2	1,924.76	2	2,295.80	2	2,666.84	2	3,037.88	2	3,408.92	2	3,780.00	2	4,151.04	2	4,522.08	2	4,893.12	2	5,264.16	2	5,635.20	2	6,006.24	2	6,377.28		
1/4	77.29	1/4	448.33	1/4	819.37	1/4	1,198.41	1/4	1,569.45	1/4	1,932.49	1/4	2,303.53	1/4	2,674.57	1/4	3,045.61	1/4	3,416.65	1/4	3,787.69	1/4	4,158.73	1/4	4,529.77	1/4	4,900.81	1/4	5,271.85	1/4	5,642.89	1/4	6,013.93	1/4	6,384.97		
1/2	85.02	1/2	456.06	1/2	827.10	1/2	1,199.14	1/2	1,569.18	1/2	1,940.22	1/2	2,311.26	1/2	2,682.30	1/2	3,053.34	1/2	3,424.38	1/2	3,795.42	1/2	4,166.46	1/2	4,537.50	1/2	4,908.54	1/2	5,279.58	1/2	5,650.62	1/2	6,021.66	1/2	6,392.70		
3/4	92.75	3/4	463.79	3/4	834.83	3/4	1,208.87	3/4	1,578.91	3/4	1,949.95	3/4	2,320.99	3/4	2,692.03	3/4	3,063.07	3/4	3,434.11	3/4	3,805.15	3/4	4,176.19	3/4	4,547.23	3/4	4,918.27	3/4	5,289.31	3/4	5,660.35	3/4	6,031.39	3/4	6,402.43		
3	100.48	3	471.52	3	842.56	3	1,213.60	3	1,584.64	3	1,955.68	3	2,326.72	3	2,697.76	3	3,068.80	3	3,439.84	3	3,810.88	3	4,181.92	3	4,552.96	3	4,924.00	3	5,295.04	3	5,666.08	3	6,037.12	3	6,408.16		
1/4	108.21	1/4	479.25	1/4	850.29	1/4	1,223.33	1/4	1,594.37	1/4	1,965.41	1/4	2,336.45	1/4	2,707.49	1/4	3,078.53	1/4	3,449.57	1/4	3,820.61	1/4	4,191.65	1/4	4,562.69	1/4	4,933.73	1/4	5,304.77	1/4	5,675.81	1/4	6,046.85	1/4	6,417.89		
1/2	116.94	1/2	486.98	1/2	868.02	1/2	1,232.06	1/2	1,603.10	1/2	1,974.14	1/2	2,345.18	1/2	2,716.22	1/2	3,087.26	1/2	3,458.30	1/2	3,829.34	1/2	4,200.38	1/2	4,571.42	1/2	4,942.46	1/2	5,313.50	1/2	5,684.54	1/2	6,055.58	1/2	6,426.62		
3/4	123.67	3/4	494.71	3/4	886.75	3/4	1,238.79	3/4	1,609.83	3/4	1,979.87	3/4	2,350.91	3/4	2,721.95	3/4	3,092.99	3/4	3,464.03	3/4	3,835.07	3/4	4,206.11	3/4	4,577.15	3/4	4,948.19	3/4	5,319.23	3/4	5,690.27	3/4	6,061.31	3/4	6,432.35		
4	131.40	4	502.44	4	873.48	4	1,244.52	4	1,615.56	4	1,986.60	4	2,357.64	4	2,728.68	4	3,099.72	4	3,470.76	4	3,841.80	4	4,212.84	4	4,583.88	4	4,954.92	4	5,325.96	4	5,697.00	4	6,068.04	4	6,439.08		
1/4	139.13	1/4	510.17	1/4	884.21	1/4	1,252.25	1/4	1,633.29	1/4	1,994.33	1/4	2,365.37	1/4	2,736.41	1/4	3,107.45	1/4	3,478.49	1/4	3,849.53	1/4	4,220.57	1/4	4,591.61	1/4	4,962.65	1/4	5,333.69	1/4	5,704.73	1/4	6,075.77	1/4	6,446.81		
1/2	146.86	1/2	517.90	1/2	895.94	1/2	1,259.98	1/2	1,639.02	1/2	2,002.02	1/2	2,373.06	1/2	2,744.10	1/2	3,115.14	1/2	3,486.18	1/2	3,857.22	1/2	4,228.26	1/2	4,600.30	1/2	4,971.34	1/2	5,342.38	1/2	5,713.42	1/2	6,084.46	1/2	6,455.50		
3/4	154.59	3/4	525.83	3/4	896.57	3/4	1,267.71	3/4	1,646.75	3/4	2,009.79	3/4	2,380.83	3/4	2,751.87	3/4	3,122.91	3/4	3,493.95	3/4	3,865.00	3/4	4,236.04	3/4	4,607.08	3/4	4,978.12	3/4	5,349.16	3/4	5,720.20	3/4	6,091.24	3/4	6,462.28		
5	162.32	5	533.36	5	904.40	5	1,276.44	5	1,656.48	5	2,017.52	5	2,388.56	5	2,759.60	5	3,130.64	5	3,448.11	5	3,816.31	5	4,184.11	5	4,552.51	5	4,920.91	5	5,289.31	5	5,657.71	5	6,026.11	5	6,394.51		
1/4	170.05	1/4	541.09	1/4	912.13	1/4	1,283.17	1/4	1,664.21	1/4	2,025.25	1/4	2,396.29	1/4	2,767.33	1/4	3,138.37	1/4	3,452.87	1/4	3,817.67	1/4	4,182.47	1/4	4,547.27	1/4	4,911.67	1/4	5,280.87	1/4	5,649.87	1/4	6,018.87	1/4	6,387.87		
1/2	177.78	1/2	548.82	1/2	919.86	1/2	1,289.80	1/2	1,681.94	1/2	2,032.98	1/2	2,404.02	1/2	2,775.06	1/2	3,146.10	1/2	3,517.14	1/2	3,888.18	1/2	4,259.22	1/2	4,630.26	1/2	4,998.26	1/2	5,369.30	1/2	5,739.34	1/2	6,109.38	1/2	6,479.42		
3/4	185.51	3/4	556.55	3/4	927.59	3/4	1,298.63	3/4	1,689.67	3/4	2,040.71	3/4	2,411.75	3/4	2,782.79	3/4	3,153.83	3/4	3,524.87	3/4	3,895.91	3/4	4,266.95	3/4	4,637.99	3/4	5,009.03	3/4	5,379.07	3/4	5,749.11	3/4	6,119.15	3/4	6,489.19		
6	193.24	6	564.28	6	935.32	6	1,306.56	6	1,697.60	6	2,048.64	6	2,419.68	6	2,790.72	6	3,161.76	6	3,532.80	6	3,903.84	6	4,274.88	6	4,645.92	6	5,016.96	6	5,388.00	6	5,759.04	6	6,130.08	6	6,501.12	6	6,872.16
1/4	200.97	1/4	572.01	1/4	943.05	1/4	1,314.09	1/4	1,705.13	1/4	2,056.17	1/4	2,427.21	1/4	2,798.25	1/4	3,169.29	1/4	3,540.33	1/4	3,911.37	1/4	4,282.41	1/4	4,653.45	1/4	5,024.49	1/4	5,395.53	1/4	5,766.57	1/4	6,137.61	1/4	6,508.65		
1/2	208.70	1/2	579.74	1/2	950.78	1/2	1,321.82	1/2	1,716.86	1/2	2,067.90	1/2	2,438.94	1/2	2,810.98	1/2	3,182.02	1/2	3,553.06	1/2	3,924.10	1/2	4,295.14	1/2	4,666.18	1/2	5,037.22	1/2	5,408.26	1/2	5,779.30	1/2	6,150.34	1/2	6,521.38		
3/4	216.43	3/4	587.47	3/4	958.51	3/4	1,329.55	3/4	1,726.59	3/4	2,077.63	3/4	2,449.67	3/4	2,821.71	3/4	3,192.75	3/4	3,563.79	3/4	3,934.83	3/4	4,305.87	3/4	4,676.91	3/4	5,047.95	3/4	5,418.99	3/4	5,790.03	3/4	6,161.07	3/4	6,532.11		
7	224.16	7	595.20	7	966.24	7	1,337.28	7	1,733.32	7	2,079.36	7	2,450.40	7	2,821.44	7	3,192.48	7	3,563.52	7	3,934.56	7	4,305.60	7	4,676.64	7	5,047.68	7	5,418.72	7	5,789.76	7	6,160.80	7	6,531.84		
1/4	231.89	1/4	602.93	1/4	973.97	1/4	1,346.01	1/4	1,741.05	1/4	2,092.09	1/4	2,463.13	1/4	2,834.17	1/4	3,205.21	1/4	3,576.25	1/4	3,947.29	1/4	4,318.33	1/4	4,689.37	1/4	5,060.41	1/4	5,431.45	1/4	5,802.49	1/4	6,173.53	1/4	6,544.57		
1/2	239.62	1/2	610.66	1/2	981.70	1/2	1,352.74	1/2	1,746.78	1/2	2,097.82	1/2	2,468.86	1/2	2,839.90	1/2	3,211.94	1/2	3,582.98	1/2	3,954.02	1/2	4,325.06	1/2	4,696.10	1/2	5,067.14	1/2	5,438.18	1/2	5,809.22	1/2	6,180.26	1/2	6,551.30		
3/4	247.35	3/4	618.39	3/4	989.43	3/4	1,360.47	3/4	1,751.51	3/4	2,102.55	3/4	2,473.59	3/4	2,844.63	3/4	3,215.67	3/4	3,586.71	3/4	3,957.75	3/4	4,328.79	3/4	4,700.83	3/4	5,071.87	3/4	5,442.91	3/4	5,813.95	3/4	6,185.00	3/4			



INSPECTORATE ISO 9002 ACCREDITED

3 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4163

Table with columns: H, M, D FT., N, 1 FT., M, 2 FT., M, 3 FT., M, 4 FT., N, 5 FT., M, 6 FT., M, 7 FT., N, 8 FT., M, 9 FT., N, 10 FT., M, 11 FT., N, 12 FT., M, 13 FT., N, 14 FT. Rows contain numerical data for various measurements.

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT:

14'-11 1/2" (TO RIM OF 2" DIAMETER BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION