



**BARGE PBL-2410
INNAGE TRIM CORRECTIONS**

	1 ft		2 ft		3 ft		4 ft		5 ft		6 ft	
	BOW	STERN	BOW	STERN	BOW	STERN	BOW	STERN	BOW	STERN	BOW	STERN
COMP. 1	00	-00	00	-00	00	-00	00	-00	00	-00	00	-00
COMP. 2	-00 -1/8	00 -1/8	-00 -1/8	00 -1/8	-00 -2/8	00 -2/8	-00 -3/8	00 -3/8	-00 -4/8	00 -4/8	-00 -4/8	00 -4/8
COMP. 3	00	-00	00 -1/8	-00 -1/8	00 -1/8	-00 -1/8	00 -2/8	-00 -2/8	00 -2/8	-00 -2/8	00 -2/8	-00 -2/8

COMPARTMENT 2
EXAMPLE FOR USE OF TRIM CORRECTION:
LENGTH BETWEEN DRAFT MARKS = 216.5'

FWD DRAFT = 3'-0"

AFT DRAFT = 6'-0"

DIFFERENCE = 3'-0" (DOWN BY STERN)

TRIM CORRECTION FOR TRIM OF 3'-00" DOWN BY STERN IS _____
TO THE OBSERVED GAUGE OF 04'-00-0/0" ADD OR SUBTRACT THE TRIM
CORRECTION FROM THE TABLE
THE TRIM CORRECTED GAUGE IS _____

FT INCHES
0 00 -2/8

FT INCHES
4 00 -2/8

STRAPPED BY: LF/BC ON: 2/08/08
COMPUTED BY: TH ON: 2/18/08

D. Endress

BARGE PBL-2410

COMPARTMENT 1
INNAGE TABLE
BARRELS

GAUGE HEIGHT 14'-2 1/4"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT
0	0.28	0	325.24	0	918.25	0	1,650.61	0	2,403.06	0	3,155.51	0	3,908.12	0	4,660.74	0	5,413.35	0	6,165.97
1/4	1.00	1/4	335.99	1/4	932.50	1/4	1,661.92	1/4	2,418.74	1/4	3,171.18	1/4	3,923.80	1/4	4,676.42	1/4	5,429.03	1/4	6,181.65
1/2	1.72	1/2	346.73	1/2	946.76	1/2	1,676.81	1/2	2,434.41	1/2	3,186.86	1/2	3,939.48	1/2	4,689.10	1/2	5,444.71	1/2	6,197.33
3/4	2.45	3/4	357.47	3/4	961.02	3/4	1,691.99	3/4	2,460.09	3/4	3,202.54	3/4	3,955.16	3/4	4,707.78	3/4	5,460.39	3/4	6,213.01
1	3.17	1	368.21	1	975.28	1	1,713.23	1	2,485.76	1	3,218.22	1	3,970.84	1	4,723.46	1	5,476.07	1	6,228.69
1/4	5.17	1/4	379.25	1/4	989.82	1/4	1,728.89	1/4	2,481.44	1/4	3,233.90	1/4	3,986.52	1/4	4,739.13	1/4	5,491.75	1/4	6,244.37
1/2	7.16	1/2	390.29	1/2	1,004.37	1/2	1,744.56	1/2	2,497.11	1/2	3,249.58	1/2	4,002.20	1/2	4,754.81	1/2	5,507.43	1/2	6,260.05
3/4	9.16	3/4	401.32	3/4	1,018.92	3/4	1,760.22	3/4	2,512.79	3/4	3,265.26	3/4	4,017.88	3/4	4,770.49	3/4	5,523.11	3/4	6,275.73
2	11.16	2	412.36	2	1,033.47	2	1,775.88	2	2,528.47	2	3,280.94	2	4,033.56	2	4,786.17	2	5,538.79	2	6,291.41
1/4	14.52	1/4	423.69	1/4	1,048.28	1/4	1,791.56	1/4	2,544.14	1/4	3,296.62	1/4	4,049.24	1/4	4,801.85	1/4	5,554.47	1/4	6,307.08
1/2	17.88	1/2	435.02	1/2	1,063.09	1/2	1,807.24	1/2	2,559.82	1/2	3,312.30	1/2	4,064.92	1/2	4,817.53	1/2	5,570.15	1/2	6,322.76
3/4	21.24	3/4	446.35	3/4	1,077.90	3/4	1,822.92	3/4	2,575.49	3/4	3,327.98	3/4	4,080.60	3/4	4,833.21	3/4	5,585.83	3/4	6,338.44
3	24.60	3	457.67	3	1,092.71	3	1,838.60	3	2,591.17	3	3,343.66	3	4,096.28	3	4,848.89	3	5,601.51	3	6,354.12
1/4	28.15	1/4	468.30	1/4	1,107.76	1/4	1,854.28	1/4	2,606.85	1/4	3,359.34	1/4	4,111.95	1/4	4,864.57	1/4	5,617.19	1/4	6,369.80
1/2	31.70	1/2	480.92	1/2	1,122.81	1/2	1,869.96	1/2	2,622.52	1/2	3,375.02	1/2	4,127.63	1/2	4,880.25	1/2	5,632.87	1/2	6,385.48
3/4	35.25	3/4	492.54	3/4	1,137.86	3/4	1,885.64	3/4	2,638.20	3/4	3,390.70	3/4	4,143.31	3/4	4,895.93	3/4	5,648.55	3/4	6,401.16
4	38.79	4	504.16	4	1,152.92	4	1,901.32	4	2,653.87	4	3,406.38	4	4,158.99	4	4,911.61	4	5,664.23	4	6,416.84
1/4	44.05	1/4	516.08	1/4	1,168.17	1/4	1,917.00	1/4	2,669.55	1/4	3,422.06	1/4	4,174.67	1/4	4,927.29	1/4	5,679.90	1/4	6,432.52
1/2	49.31	1/2	527.99	1/2	1,183.42	1/2	1,932.67	1/2	2,685.23	1/2	3,437.74	1/2	4,190.35	1/2	4,942.97	1/2	5,695.58	1/2	6,448.20
3/4	54.57	3/4	539.91	3/4	1,198.68	3/4	1,948.35	3/4	2,700.90	3/4	3,453.42	3/4	4,206.03	3/4	4,958.65	3/4	5,711.26	3/4	6,463.88
5	59.82	5	551.82	5	1,213.93	5	1,964.03	5	2,716.58	5	3,469.10	5	4,221.71	5	4,974.33	5	5,726.94	5	6,479.56
1/4	67.87	1/4	564.03	1/4	1,229.35	1/4	1,979.71	1/4	2,732.25	1/4	3,484.77	1/4	4,237.39	1/4	4,990.01	1/4	5,742.62	1/4	6,495.24
1/2	75.92	1/2	576.24	1/2	1,244.76	1/2	1,995.39	1/2	2,747.93	1/2	3,500.45	1/2	4,253.07	1/2	5,005.69	1/2	5,758.30	1/2	6,510.92
3/4	83.97	3/4	588.44	3/4	1,260.18	3/4	2,011.07	3/4	2,763.60	3/4	3,516.13	3/4	4,268.75	3/4	5,021.37	3/4	5,773.98	3/4	6,526.60
6	92.02	6	600.85	6	1,275.59	6	2,026.75	6	2,779.28	6	3,531.81	6	4,284.43	6	5,037.05	6	5,789.66	6	6,542.28
1/4	101.00	1/4	613.15	1/4	1,291.12	1/4	2,042.43	1/4	2,794.96	1/4	3,547.49	1/4	4,300.11	1/4	5,052.72	1/4	5,805.34	1/4	6,557.96
1/2	109.99	1/2	625.65	1/2	1,306.66	1/2	2,058.11	1/2	2,810.63	1/2	3,563.17	1/2	4,315.79	1/2	5,068.40	1/2	5,821.02	1/2	6,573.64
3/4	118.97	3/4	638.15	3/4	1,322.19	3/4	2,073.79	3/4	2,826.31	3/4	3,578.85	3/4	4,331.47	3/4	5,084.08	3/4	5,836.70	3/4	6,589.32
7	127.96	7	650.66	7	1,337.73	7	2,089.47	7	2,841.98	7	3,594.53	7	4,347.15	7	5,099.76	7	5,852.38	7	6,605.00
1/4	137.24	1/4	663.45	1/4	1,353.34	1/4	2,105.15	1/4	2,857.66	1/4	3,610.21	1/4	4,362.83	1/4	5,115.44	1/4	5,868.06	1/4	6,620.67
1/2	146.51	1/2	676.24	1/2	1,368.95	1/2	2,120.83	1/2	2,873.34	1/2	3,625.89	1/2	4,378.51	1/2	5,131.12	1/2	5,883.74	1/2	6,636.35
3/4	155.79	3/4	689.04	3/4	1,384.56	3/4	2,136.51	3/4	2,889.01	3/4	3,641.57	3/4	4,394.19	3/4	5,146.80	3/4	5,899.42	3/4	6,652.03
8	165.07	8	701.83	8	1,400.17	8	2,152.19	8	2,904.69	8	3,657.25	8	4,409.87	8	5,162.48	8	5,915.10	8	6,667.71
1/4	174.64	1/4	714.92	1/4	1,415.82	1/4	2,167.87	1/4	2,920.36	1/4	3,672.93	1/4	4,425.54	1/4	5,178.16	1/4	5,930.78	1/4	6,683.39
1/2	184.21	1/2	728.00	1/2	1,431.47	1/2	2,183.55	1/2	2,936.04	1/2	3,688.61	1/2	4,441.22	1/2	5,193.84	1/2	5,946.46	1/2	6,699.07
3/4	193.78	3/4	741.09	3/4	1,447.12	3/4	2,199.23	3/4	2,951.72	3/4	3,704.29	3/4	4,456.90	3/4	5,209.52	3/4	5,962.14	3/4	6,714.75
9	203.36	9	754.18	9	1,462.76	9	2,214.91	9	2,967.39	9	3,719.97	9	4,472.58	9	5,225.20	9	5,977.82	9	6,730.43
1/4	213.22	1/4	767.56	1/4	1,478.42	1/4	2,230.59	1/4	2,983.07	1/4	3,735.65	1/4	4,488.26	1/4	5,240.88	1/4	5,993.49	1/4	6,746.11
1/2	223.08	1/2	780.94	1/2	1,494.07	1/2	2,246.26	1/2	2,998.74	1/2	3,751.33	1/2	4,503.94	1/2	5,256.56	1/2	6,009.17	1/2	6,761.79
3/4	232.95	3/4	794.31	3/4	1,509.73	3/4	2,261.94	3/4	3,014.42	3/4	3,767.01	3/4	4,519.62	3/4	5,272.24	3/4	6,024.85	3/4	6,777.47
10	242.81	10	807.69	10	1,525.38	10	2,277.62	10	3,030.10	10	3,782.69	10	4,535.30	10	5,287.92	10	6,040.53	10	6,793.15
1/4	252.97	1/4	821.37	1/4	1,541.03	1/4	2,293.30	1/4	3,045.77	1/4	3,798.36	1/4	4,550.98	1/4	5,303.60	1/4	6,056.21	1/4	6,808.83
1/2	263.13	1/2	835.04	1/2	1,556.69	1/2	2,308.98	1/2	3,061.45	1/2	3,814.04	1/2	4,566.66	1/2	5,319.28	1/2	6,071.89	1/2	6,824.51
3/4	273.28	3/4	848.71	3/4	1,572.34	3/4	2,324.66	3/4	3,077.12	3/4	3,829.72	3/4	4,582.34	3/4	5,334.96	3/4	6,087.57	3/4	6,840.19
11	283.44	11	862.38	11	1,588.00	11	2,340.34	11	3,092.80	11	3,845.40	11	4,598.02	11	5,350.64	11	6,103.25	11	6,855.87
1/4	293.89	1/4	876.95	1/4	1,603.65	1/4	2,356.02	1/4	3,108.48	1/4	3,861.08	1/4	4,613.70	1/4	5,366.31	1/4	6,118.93	1/4	6,871.55
1/2	304.34	1/2	890.31	1/2	1,619.30	1/2	2,371.70	1/2	3,124.15	1/2	3,876.76	1/2	4,629.28	1/2	5,381.99	1/2	6,134.61	1/2	6,887.23
3/4	314.79	3/4	904.28	3/4	1,634.96	3/4	2,387.38	3/4	3,139.83	3/4	3,892.44	3/4	4,645.06	3/4	5,397.67	3/4	6,150.29	3/4	6,902.91

GAUGE LOCATED 0'-6" FROM CENTERLINE AND 44'-0" FORWARD OF AFT BULKHEAD

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7

L.B.D.M= 216'-5"

CARGOLINE CAPACITY INCLUDED IN VOLUME.

THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 02/15

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 02/19/15
STRAPPED BY: BC 02/09/15

SAYBOLT LP

O. Endreac

BARGE PBL-2410

COMPARTMENT 1 INNAGE TABLE BARRELS

SAYBOLT LP.
Calibration Dept.
1026 W. Elizabeth Ave.
Linden, NJ 07036

GAUGE HEIGHT 14'-2 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.
0	6,918.59	0	7,671.20	0	8,423.82
1/4	6,934.26	1/4	7,686.88	1/4	8,439.50
1/2	6,949.94	1/2	7,702.56	1/2	8,455.18
3/4	6,965.62	3/4	7,718.24	3/4	8,470.86
1	6,981.30	1	7,733.92	1	8,486.54
1/4	6,996.98	1/4	7,749.60	1/4	8,502.21
1/2	7,012.66	1/2	7,765.28	1/2	8,517.89
3/4	7,028.34	3/4	7,780.96	3/4	8,533.57
2	7,044.02	2	7,796.64	2	8,549.25
1/4	7,059.70	1/4	7,812.32	1/4	8,564.93
1/2	7,075.38	1/2	7,828.00	1/2	8,580.61
3/4	7,091.06	3/4	7,843.68	3/4	8,596.29
3	7,106.74	3	7,859.36	3	8,611.97
1/4	7,122.42	1/4	7,875.03	1/4	8,627.65
1/2	7,138.10	1/2	7,890.71	1/2	8,643.33
3/4	7,153.78	3/4	7,906.39	3/4	8,658.91
4	7,169.46	4	7,922.07	4	8,674.69
1/4	7,185.14	1/4	7,937.75	1/4	8,690.21
1/2	7,200.82	1/2	7,953.43	1/2	8,705.73
3/4	7,216.50	3/4	7,969.11	3/4	8,721.25
5	7,232.18	5	7,984.79	5	8,736.76
1/4	7,247.85	1/4	8,000.47	1/4	8,750.81
1/2	7,263.53	1/2	8,016.15	1/2	8,764.86
3/4	7,279.21	3/4	8,031.83	3/4	8,778.91
6	7,294.89	6	8,047.51	6	8,792.96
1/4	7,310.57	1/4	8,063.19	1/4	8,804.39
1/2	7,326.25	1/2	8,078.87	1/2	8,815.82
3/4	7,341.93	3/4	8,094.55	3/4	8,827.25
7	7,357.61	7	8,110.23	7	8,838.68
1/4	7,373.29	1/4	8,125.91	1/4	8,847.49
1/2	7,388.97	1/2	8,141.59	1/2	8,856.31
3/4	7,404.65	3/4	8,157.27	3/4	8,865.12
8	7,420.33	8	8,172.95	8	8,873.93
1/4	7,436.01	1/4	8,188.62	1/4	8,880.13
1/2	7,451.69	1/2	8,204.30	1/2	8,886.33
3/4	7,467.37	3/4	8,219.98	3/4	8,892.52
9	7,483.05	9	8,235.66	9	8,898.72
1/4	7,498.73	1/4	8,251.34	1/4	8,902.30
1/2	7,514.41	1/2	8,267.02	1/2	8,905.88
3/4	7,530.09	3/4	8,282.70	3/4	8,909.46
10	7,545.77	10	8,298.38	10	8,913.04
1/4	7,561.44	1/4	8,314.06		
1/2	7,577.12	1/2	8,329.74		
3/4	7,592.80	3/4	8,345.42		
11	7,608.48	11	8,361.10		
1/4	7,624.16	1/4	8,376.78		
1/2	7,639.84	1/2	8,392.46		
3/4	7,655.52	3/4	8,408.14		

GAUGE LOCATED 0'-6" FROM CENTERLINE AND 44'-0" FORWARD OF AFT BULKHEAD

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7

L.B.D.M= 216'-5"

CARGOLINE CAPACITY INCLUDED IN VOLUME.

THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 02/15

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: JF 02/19/15
STRAPPED BY: BC 02/09/15
SAYBOLT LP

O. Endress

BARGE PBL-2410

COMPARTMENT 2
 INNAGE TABLE
 BARRELS

GAUGE HEIGHT 14'-8 7/8" TO HERMETIC VALVE LIP

IN	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.						
0	6.43	573.67	0	1,921.75	0	2,604.87	0	3,287.99	0	3,971.11	0	4,654.23	0	5,337.36	0	6,020.48
1/4	10.26	587.86	1/4	1,935.98	1/4	2,619.10	1/4	3,302.22	1/4	3,985.34	1/4	4,668.47	1/4	5,351.59	1/4	6,034.71
1/2	14.10	602.05	1/2	1,950.21	1/2	2,633.33	1/2	3,316.45	1/2	3,999.58	1/2	4,682.70	1/2	5,365.82	1/2	6,048.94
3/4	17.94	616.23	3/4	1,964.44	3/4	2,647.56	3/4	3,330.69	3/4	4,013.81	3/4	4,697.04	3/4	5,380.05	3/4	6,063.17
1	21.77	630.42	1	1,978.67	1	2,661.80	1	3,344.92	1	4,028.04	1	4,711.16	1	5,394.28	1	6,077.40
1/4	27.96	644.61	1/4	1,992.80	1/4	2,676.03	1/4	3,359.15	1/4	4,042.27	1/4	4,725.39	1/4	5,408.51	1/4	6,091.64
1/2	34.14	658.79	1/2	2,007.14	1/2	2,690.26	1/2	3,373.38	1/2	4,056.50	1/2	4,739.62	1/2	5,422.75	1/2	6,105.87
3/4	40.33	672.98	3/4	2,021.37	3/4	2,704.49	3/4	3,387.61	3/4	4,070.73	3/4	4,753.86	3/4	5,438.98	3/4	6,120.10
1	46.52	687.17	1	2,035.60	1	2,718.72	1	3,401.84	1	4,084.97	1	4,768.09	1	5,451.21	1	6,134.33
1/4	52.70	701.35	1/4	2,049.83	1/4	2,732.95	1/4	3,416.08	1/4	4,099.20	1/4	4,782.32	1/4	5,465.44	1/4	6,148.56
1/2	58.89	715.54	1/2	2,064.06	1/2	2,747.19	1/2	3,430.31	1/2	4,113.43	1/2	4,796.55	1/2	5,479.67	1/2	6,162.79
3/4	65.07	729.73	3/4	2,078.30	3/4	2,761.42	3/4	3,444.54	3/4	4,127.66	3/4	4,810.78	3/4	5,493.90	3/4	6,177.03
1	71.26	743.91	1	2,092.53	1	2,775.65	1	3,458.77	1	4,141.89	1	4,825.01	1	5,508.14	1	6,191.26
1/4	77.44	758.10	1/4	2,106.76	1/4	2,789.88	1/4	3,473.00	1/4	4,156.12	1/4	4,839.25	1/4	5,522.37	1/4	6,205.49
1/2	83.63	772.29	1/2	2,120.99	1/2	2,804.11	1/2	3,487.23	1/2	4,170.36	1/2	4,853.48	1/2	5,536.60	1/2	6,219.72
3/4	89.81	786.48	3/4	2,135.22	3/4	2,818.34	3/4	3,501.47	3/4	4,184.59	3/4	4,867.71	3/4	5,550.83	3/4	6,233.95
1	96.00	800.66	1	2,149.46	1	2,832.58	1	3,515.70	1	4,198.82	1	4,881.94	1	5,565.06	1	6,248.18
1/4	102.19	814.85	1/4	2,163.69	1/4	2,846.81	1/4	3,529.93	1/4	4,213.05	1/4	4,896.17	1/4	5,579.29	1/4	6,262.42
1/2	108.38	829.04	1/2	2,177.92	1/2	2,861.04	1/2	3,544.16	1/2	4,227.28	1/2	4,910.40	1/2	5,593.53	1/2	6,276.65
3/4	114.57	843.22	3/4	2,192.15	3/4	2,875.27	3/4	3,558.39	3/4	4,241.51	3/4	4,924.64	3/4	5,607.76	3/4	6,290.88
1	120.76	857.41	1	2,206.38	1	2,889.50	1	3,572.62	1	4,255.75	1	4,938.87	1	5,621.99	1	6,305.11
1/4	126.95	871.60	1/4	2,220.61	1/4	2,903.74	1/4	3,586.86	1/4	4,269.98	1/4	4,953.10	1/4	5,636.22	1/4	6,319.34
1/2	133.14	885.79	1/2	2,234.85	1/2	2,917.97	1/2	3,601.09	1/2	4,284.21	1/2	4,967.33	1/2	5,650.45	1/2	6,333.57
3/4	139.33	899.97	3/4	2,249.08	3/4	2,932.20	3/4	3,615.32	3/4	4,298.44	3/4	4,981.56	3/4	5,664.68	3/4	6,347.81
1	145.52	914.16	1	2,263.31	1	2,946.43	1	3,629.55	1	4,312.67	1	4,995.79	1	5,678.92	1	6,362.04
1/4	151.71	928.34	1/4	2,277.54	1/4	2,960.66	1/4	3,643.78	1/4	4,326.91	1/4	5,010.03	1/4	5,693.15	1/4	6,376.27
1/2	157.90	942.53	1/2	2,291.77	1/2	2,974.89	1/2	3,658.02	1/2	4,341.14	1/2	5,024.26	1/2	5,707.38	1/2	6,390.50
3/4	164.09	956.72	3/4	2,306.00	3/4	2,989.13	3/4	3,672.25	3/4	4,355.37	3/4	5,038.49	3/4	5,721.61	3/4	6,404.73
1	170.28	970.91	1	2,320.24	1	3,003.36	1	3,686.48	1	4,369.60	1	5,052.72	1	5,735.84	1	6,418.97
1/4	176.47	985.10	1/4	2,334.47	1/4	3,017.59	1/4	3,700.71	1/4	4,383.83	1/4	5,066.95	1/4	5,750.08	1/4	6,433.20
1/2	182.66	999.29	1/2	2,348.70	1/2	3,031.82	1/2	3,714.94	1/2	4,398.06	1/2	5,081.19	1/2	5,764.31	1/2	6,447.43
3/4	188.85	1,013.47	3/4	2,362.93	3/4	3,046.05	3/4	3,729.17	3/4	4,412.30	3/4	5,095.42	3/4	5,778.54	3/4	6,461.66
1	195.04	1,027.65	1	2,377.16	1	3,060.28	1	3,743.41	1	4,426.53	1	5,109.65	1	5,792.77	1	6,475.89
1/4	201.23	1,041.84	1/4	2,391.39	1/4	3,074.52	1/4	3,757.64	1/4	4,440.76	1/4	5,123.88	1/4	5,807.00	1/4	6,490.12
1/2	207.42	1,056.03	1/2	2,405.63	1/2	3,088.75	1/2	3,771.87	1/2	4,454.99	1/2	5,138.11	1/2	5,821.23	1/2	6,504.36
3/4	213.61	1,070.21	3/4	2,419.86	3/4	3,102.96	3/4	3,786.10	3/4	4,469.22	3/4	5,152.34	3/4	5,835.47	3/4	6,518.59
1	219.80	1,084.40	1	2,434.09	1	3,117.21	1	3,800.33	1	4,483.45	1	5,166.58	1	5,849.70	1	6,532.82
1/4	226.00	1,098.59	1/4	2,448.32	1/4	3,131.44	1/4	3,814.56	1/4	4,497.69	1/4	5,180.81	1/4	5,863.93	1/4	6,547.05
1/2	232.19	1,112.77	1/2	2,462.55	1/2	3,145.67	1/2	3,828.80	1/2	4,511.92	1/2	5,195.04	1/2	5,878.16	1/2	6,561.28
3/4	238.38	1,126.96	3/4	2,476.78	3/4	3,159.91	3/4	3,843.03	3/4	4,526.15	3/4	5,209.27	3/4	5,892.39	3/4	6,575.51
1	244.57	1,141.15	1	2,491.02	1	3,174.14	1	3,857.26	1	4,540.38	1	5,223.50	1	5,906.62	1	6,589.75
1/4	250.76	1,155.34	1/4	2,505.25	1/4	3,188.37	1/4	3,871.49	1/4	4,554.61	1/4	5,237.73	1/4	5,920.86	1/4	6,603.98
1/2	256.95	1,169.53	1/2	2,519.48	1/2	3,202.60	1/2	3,885.72	1/2	4,568.84	1/2	5,251.97	1/2	5,935.09	1/2	6,618.21
3/4	263.14	1,183.71	3/4	2,533.71	3/4	3,216.83	3/4	3,899.95	3/4	4,583.08	3/4	5,266.20	3/4	5,949.32	3/4	6,632.44
1	269.33	1,197.90	1	2,547.94	1	3,231.06	1	3,914.18	1	4,597.31	1	5,280.43	1	5,963.55	1	6,646.67
1/4	275.52	1,212.09	1/4	2,562.17	1/4	3,245.30	1/4	3,928.42	1/4	4,611.54	1/4	5,294.66	1/4	5,977.78	1/4	6,660.90
1/2	281.71	1,226.28	1/2	2,576.41	1/2	3,259.53	1/2	3,942.65	1/2	4,625.77	1/2	5,308.89	1/2	5,992.01	1/2	6,675.14
3/4	287.90	1,240.47	3/4	2,590.64	3/4	3,273.76	3/4	3,956.88	3/4	4,640.00	3/4	5,323.12	3/4	6,006.25	3/4	6,689.37

CHART IS CERTIFIED FOR THIS TANK ONLY.
 COMPUTED BY: TH 02/18/08
 STRAPPED BY: LF & BC 02/09/08
 SAYBOLT LP

O. Endicott

GAUGE LOCATED 1'-7" OFF CENTERLINE TO PORTSIDE AND, 42'-1" FORWARD OF AFT BULKHEAD

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
 THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 02/08.
 L.B.D.M = 216'-6"

HEIGHT TO HERMETIC VALVE LIP SUPPLIED BY PROGRESSIVE BARGE 2009

BARGE PBL-2410

COMPARTMENT 2 INNAGE TABLE BARRELS

SAYBOLT LP.
Calibration Dept.
1028 W. Elizabeth Ave.
Linden, NJ 07036

GAUGE HEIGHT 14'-8 7/8" TO HERMETIC VALVE LIP

IN	10 FT.	IN	11 FT.	IN	12 FT.
0	6,703.60	0	7,386.72	0	8,089.84
1/4	6,717.83	1/4	7,400.95	1/4	8,084.07
1/2	6,732.06	1/2	7,415.18	1/2	8,098.31
3/4	6,746.29	3/4	7,429.42	3/4	8,112.54
1	6,760.53	1	7,443.65	1	8,126.77
1/4	6,774.76	1/4	7,457.88	1/4	8,141.00
1/2	6,788.99	1/2	7,472.11	1/2	8,155.23
3/4	6,803.22	3/4	7,486.34	3/4	8,169.46
2	6,817.45	2	7,500.57	2	8,183.70
1/4	6,831.68	1/4	7,514.81	1/4	8,197.93
1/2	6,845.92	1/2	7,529.04	1/2	8,212.16
3/4	6,860.15	3/4	7,543.27	3/4	8,226.39
3	6,874.38	3	7,557.50	3	8,240.62
1/4	6,888.61	1/4	7,571.73	1/4	8,254.85
1/2	6,902.84	1/2	7,585.96	1/2	8,269.08
3/4	6,917.07	3/4	7,600.20	3/4	8,283.31
4	6,931.31	4	7,614.43	4	8,297.54
1/4	6,945.54	1/4	7,628.66	1/4	8,311.77
1/2	6,959.77	1/2	7,642.89	1/2	8,326.00
3/4	6,974.00	3/4	7,657.12	3/4	8,340.23
5	6,988.23	5	7,671.35	5	8,354.46
1/4	7,002.46	1/4	7,685.59	1/4	8,368.69
1/2	7,016.70	1/2	7,699.82	1/2	8,382.92
3/4	7,030.93	3/4	7,714.05	3/4	8,397.15
6	7,045.16	6	7,728.28	6	8,411.38
1/4	7,059.39	1/4	7,742.51	1/4	8,425.61
1/2	7,073.62	1/2	7,756.74	1/2	8,439.84
3/4	7,087.85	3/4	7,770.98	3/4	8,454.07
7	7,102.09	7	7,785.21	7	8,468.30
1/4	7,116.32	1/4	7,799.44	1/4	8,482.53
1/2	7,130.55	1/2	7,813.67	1/2	8,496.76
3/4	7,144.78	3/4	7,827.90	3/4	8,511.00
8	7,159.01	8	7,842.14	8	8,525.23
1/4	7,173.25	1/4	7,856.37	1/4	8,539.46
1/2	7,187.48	1/2	7,870.60	1/2	8,553.69
3/4	7,201.71	3/4	7,884.83	3/4	8,567.92
9	7,215.94	9	7,899.06	9	8,582.15
1/4	7,230.17	1/4	7,913.29	1/4	8,596.38
1/2	7,244.40	1/2	7,927.53	1/2	8,610.61
3/4	7,258.64	3/4	7,941.76	3/4	8,624.84
10	7,272.87	10	7,955.99	10	8,639.07
1/4	7,287.10	1/4	7,970.22	1/4	8,653.30
1/2	7,301.33	1/2	7,984.45	1/2	8,667.53
3/4	7,315.56	3/4	7,998.68	3/4	8,681.76
11	7,329.79	11	8,012.92	11	8,696.00
1/4	7,344.03	1/4	8,027.15	1/4	8,710.23
1/2	7,358.26	1/2	8,041.38	1/2	8,724.46
3/4	7,372.49	3/4	8,055.61	3/4	8,738.69

GAUGE LOCATED 1'-7" OFF CENTERLINE TO PORTSIDE AND, 42'-1" FORWARD OF AFT BULKHEAD

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 02/08.

L.B.D.M. = 218'-8"

HEIGHT TO HERMETIC VALVE LIP SUPPLIED BY PROGRESSIVE BARGE 2009

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: TH 02/18/08
LF & PC 02/09/08
STRAPPED BY: SAYBOLT LP

O. Endres

GAUGE HEIGHT 14'-9 1/4" TO HERMETIC VALVE LIP

IN	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.
0	0	1,223.86	1,890.21	2,584.15	3,238.08	3,912.02	4,585.95	5,259.88	5,933.82	6,607.75
1/4	0	552.59	1,237.72	1,904.25	2,578.19	3,252.12	3,926.06	4,599.99	5,273.92	5,947.86
1/2	1/4	566.59	1,251.58	1,918.29	2,592.23	3,266.16	3,940.10	4,614.03	5,287.96	5,961.90
1/2	1/2	580.59	1,265.43	1,932.33	2,606.27	3,280.20	3,954.14	4,628.07	5,302.01	5,975.94
3/4	3/4	594.58	1,279.29	1,946.37	2,620.31	3,294.24	3,968.18	4,642.11	5,316.05	5,989.98
1	1	608.58	1,293.15	1,960.41	2,634.35	3,308.28	3,982.22	4,656.15	5,330.09	6,004.02
1/4	1/4	622.57	1,307.01	1,974.45	2,648.38	3,316.32	3,996.26	4,670.19	5,344.13	6,018.06
1/2	1/2	636.57	1,320.86	1,988.49	2,662.43	3,324.36	4,010.30	4,684.23	5,358.17	6,032.10
3/4	3/4	650.56	1,334.72	2,002.53	2,676.47	3,332.40	4,024.34	4,698.27	5,372.21	6,046.14
2	2	664.56	1,348.58	2,016.58	2,690.51	3,340.44	4,038.38	4,712.31	5,386.25	6,060.18
1/4	1/4	678.55	1,362.44	2,030.62	2,704.55	3,348.48	4,052.42	4,726.35	5,400.29	6,074.22
1/2	1/2	692.55	1,376.29	2,044.66	2,718.59	3,356.52	4,066.46	4,740.39	5,414.33	6,088.26
3/4	3/4	706.55	1,390.15	2,058.70	2,732.63	3,364.56	4,080.50	4,754.43	5,428.37	6,102.30
3	3	720.54	1,404.01	2,072.74	2,746.67	3,372.60	4,094.54	4,768.47	5,442.41	6,116.34
1/4	1/4	734.54	1,417.87	2,086.78	2,760.71	3,380.65	4,108.58	4,782.51	5,456.45	6,130.38
1/2	1/2	748.53	1,431.72	2,100.82	2,774.75	3,388.69	4,122.62	4,796.55	5,470.48	6,144.42
3/4	3/4	762.53	1,445.58	2,114.86	2,788.79	3,396.73	4,136.66	4,810.59	5,484.53	6,158.46
4	4	776.52	1,459.44	2,128.90	2,802.83	3,404.77	4,150.70	4,824.64	5,498.57	6,172.50
1/4	1/4	790.52	1,473.30	2,142.94	2,816.87	3,412.81	4,164.74	4,838.68	5,512.61	6,186.54
1/2	1/2	804.51	1,487.15	2,156.98	2,830.91	3,420.85	4,178.78	4,852.72	5,526.65	6,200.58
3/4	3/4	818.51	1,501.01	2,171.02	2,844.95	3,428.89	4,192.82	4,866.76	5,540.69	6,214.62
5	5	832.50	1,514.87	2,185.06	2,858.98	3,436.93	4,206.86	4,880.80	5,554.73	6,228.67
1/4	1/4	846.50	1,528.73	2,199.10	2,873.03	3,444.97	4,220.90	4,894.84	5,568.77	6,242.71
1/2	1/2	860.50	1,542.58	2,213.14	2,887.07	3,453.01	4,234.94	4,908.88	5,582.81	6,256.75
3/4	3/4	874.49	1,556.44	2,227.18	2,901.11	3,461.05	4,248.98	4,922.92	5,596.85	6,270.79
6	6	888.49	1,570.30	2,241.22	2,915.15	3,469.09	4,262.92	4,936.96	5,610.89	6,284.83
1/4	1/4	902.48	1,584.16	2,255.26	2,929.19	3,477.13	4,276.96	4,951.00	5,624.93	6,298.87
1/2	1/2	916.48	1,598.01	2,269.30	2,943.23	3,485.17	4,291.00	4,965.04	5,638.97	6,312.91
3/4	3/4	930.47	1,611.87	2,283.34	2,957.28	3,493.21	4,305.14	4,979.08	5,653.01	6,326.95
7	7	944.47	1,625.73	2,297.38	2,971.32	3,501.25	4,319.18	4,993.12	5,667.05	6,340.99
1/4	1/4	958.46	1,639.59	2,311.42	2,985.36	3,509.29	4,333.22	5,007.16	5,681.09	6,355.03
1/2	1/2	972.46	1,653.44	2,325.46	2,999.40	3,517.33	4,347.26	5,021.20	5,695.13	6,369.07
3/4	3/4	986.46	1,667.30	2,339.50	3,013.44	3,525.37	4,361.31	5,035.24	5,709.17	6,383.11
8	8	1,000.45	1,681.16	2,353.54	3,027.48	3,533.41	4,375.35	5,049.28	5,723.21	6,397.15
1/4	1/4	1,014.45	1,695.02	2,367.58	3,041.52	3,541.45	4,389.39	5,063.32	5,737.25	6,411.19
1/2	1/2	1,028.44	1,708.88	2,381.62	3,055.56	3,549.49	4,403.43	5,077.36	5,751.29	6,425.23
3/4	3/4	1,042.44	1,722.74	2,395.66	3,069.60	3,557.53	4,417.47	5,091.40	5,765.34	6,439.27
9	9	1,056.43	1,736.63	2,409.70	3,083.64	3,565.57	4,431.51	5,105.44	5,779.38	6,453.31
1/4	1/4	1,070.43	1,750.51	2,423.74	3,097.68	3,573.61	4,445.55	5,119.48	5,793.42	6,467.35
1/2	1/2	1,084.42	1,764.40	2,437.78	3,111.72	3,581.65	4,459.59	5,133.52	5,807.46	6,481.39
3/4	3/4	1,098.42	1,778.29	2,451.82	3,125.76	3,589.69	4,473.63	5,147.56	5,821.50	6,495.43
10	10	1,112.41	1,792.23	2,465.86	3,139.80	3,597.73	4,487.67	5,161.60	5,835.54	6,509.47
1/4	1/4	1,126.40	1,806.17	2,479.91	3,153.84	3,605.77	4,501.71	5,175.64	5,849.58	6,523.51
1/2	1/2	1,140.38	1,820.11	2,493.95	3,167.88	3,613.81	4,515.75	5,189.68	5,863.62	6,537.55
3/4	3/4	1,154.36	1,834.05	2,508.09	3,181.92	3,621.85	4,529.79	5,203.72	5,877.66	6,551.59
11	11	1,168.34	1,848.09	2,522.03	3,195.96	3,629.89	4,543.83	5,217.76	5,891.70	6,565.63
1/4	1/4	1,182.22	1,862.13	2,536.07	3,210.00	3,637.93	4,557.87	5,231.80	5,905.74	6,579.67
1/2	1/2	1,196.10	1,876.17	2,550.11	3,224.04	3,645.97	4,571.91	5,245.84	5,919.78	6,593.71
3/4	3/4	1,209.98								

CHART IS CERTIFIED FOR THIS TANK ONLY.
 COMPUTED BY: TH 02/18/08
 STRAPPED BY: LF & BC 02/09/08
 SAYBOLT LP

O. Erickson

GAUGE LOCATED 1'-7" OFF CENTERLINE TO PORTSIDE AND, 39'-6" FORWARD OF AFT BULKHEAD

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
 THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 02/08.
 L.R.D.M. = 2'18"-6"

HEIGHT TO HERMETIC VALVE LIP SUPPLIED BY PROGRESSIVE BARGE 2009

SAYBOLT LP.
California Dept.
1028 W. Elizabeth Ave.
Linden, NJ 07036

BARGE PBL-2410

COMPARTMENT 3 INNAGE TABLE BARRELS

GAUGE HEIGHT 14'-9 1/4" TO HERMETIC VALVE LIP

IN	10 FT.	IN	11 FT.	IN	12 FT.
0	6,607.75	0	7,110.90	0	7,515.88
1/4	6,621.79	1/4	7,119.34	1/4	7,524.32
1/2	6,635.83	1/2	7,127.78	1/2	7,532.76
3/4	6,649.87	3/4	7,136.21	3/4	7,541.19
1	6,663.91	1	7,144.65	1	7,549.63
1/4	6,677.95	1/4	7,153.09	1/4	7,558.07
1/2	6,691.99	1/2	7,161.52	1/2	7,566.51
3/4	6,706.04	3/4	7,169.96	3/4	7,574.94
2	6,720.08	2	7,178.40	2	7,583.38
1/4	6,734.12	1/4	7,186.84	1/4	7,591.82
1/2	6,748.16	1/2	7,195.27	1/2	7,600.25
3/4	6,762.20	3/4	7,203.71	3/4	7,608.69
3	6,776.24	3	7,212.15	3	7,617.13
1/4	6,789.94	1/4	7,220.58	1/4	7,625.57
1/2	6,803.64	1/2	7,229.02	1/2	7,634.00
3/4	6,817.35	3/4	7,237.46	3/4	7,642.44
4	6,831.05	4	7,245.90	4	7,650.88
1/4	6,844.96	1/4	7,254.33	1/4	7,659.15
1/2	6,858.86	1/2	7,262.77	1/2	7,667.41
3/4	6,863.78	3/4	7,271.21	3/4	7,675.68
5	6,874.66	5	7,279.64	5	7,683.95
1/4	6,883.10	1/4	7,288.08	1/4	7,690.81
1/2	6,891.54	1/2	7,296.52	1/2	7,697.68
3/4	6,899.97	3/4	7,304.96	3/4	7,704.54
6	6,908.41	6	7,313.39	6	7,711.40
1/4	6,916.85	1/4	7,321.83	1/4	7,716.85
1/2	6,925.29	1/2	7,330.27	1/2	7,722.30
3/4	6,933.72	3/4	7,338.70	3/4	7,727.75
7	6,942.16	7	7,347.14	7	7,733.20
1/4	6,950.60	1/4	7,355.58	1/4	7,737.25
1/2	6,959.03	1/2	7,364.01	1/2	7,741.29
3/4	6,967.47	3/4	7,372.45	3/4	7,745.33
8	6,975.91	8	7,380.89	8	7,749.37
1/4	6,984.35	1/4	7,389.33	1/4	7,752.01
1/2	6,992.78	1/2	7,397.76	1/2	7,754.64
3/4	7,001.22	3/4	7,406.20	3/4	7,757.27
9	7,009.66	9	7,414.64	9	7,759.91
1/4	7,018.09	1/4	7,423.07	1/4	7,761.97
1/2	7,026.53	1/2	7,431.51	1/2	7,764.04
3/4	7,034.97	3/4	7,439.95	3/4	7,766.11
10	7,043.41	10	7,448.39	10	7,768.18
1/4	7,051.84	1/4	7,456.82	1/4	7,769.86
1/2	7,060.28	1/2	7,465.26		
3/4	7,068.72	3/4	7,473.70		
11	7,077.15	11	7,482.13		
1/4	7,085.59	1/4	7,490.57		
1/2	7,094.03	1/2	7,499.01		
3/4	7,102.46	3/4	7,507.45		

GAUGE LOCATED 1'-7" OFF CENTERLINE TO PORTSIDE AND, 39'-6" FORWARD OF AFT BULKHEAD

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 02/08.
L.B.D.M. = 216'-6"

HEIGHT TO HERMETIC VALVE LIP SUPPLIED BY PROGRESSIVE BARGE 2009

CHART IS CERTIFIED FOR THIS TANK ONLY.
COMPUTED BY: TH 02/18/08
LF & BC 02/09/08
STRAPPED BY: SAYBOLT LP

O. Endreac

BARGE PBL-2410

**FUEL TANK
 INNAE TABLE
 GALLONS**

GAUGE HEIGHT 6'-0"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.	
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT
0	0	0	750	0	1,500	0	2,251	0	3,001	0	3,751
1/4	16	1/4	766	1/4	1,516	1/4	2,266	1/4	3,017	1/4	3,767
1/2	31	1/2	782	1/2	1,532	1/2	2,282	1/2	3,032	1/2	3,782
3/4	47	3/4	797	3/4	1,547	3/4	2,298	3/4	3,048	3/4	3,798
1	63	1	813	1	1,563	1	2,313	1	3,063	1	3,814
1/4	78	1/4	828	1/4	1,579	1/4	2,329	1/4	3,079	1/4	3,829
1/2	94	1/2	844	1/2	1,594	1/2	2,345	1/2	3,095	1/2	3,845
3/4	109	3/4	860	3/4	1,610	3/4	2,360	3/4	3,110	3/4	3,861
2	125	2	875	2	1,626	2	2,376	2	3,126	2	3,876
1/4	141	1/4	891	1/4	1,641	1/4	2,391	1/4	3,142	1/4	3,892
1/2	156	1/2	907	1/2	1,657	1/2	2,407	1/2	3,157	1/2	3,908
3/4	172	3/4	922	3/4	1,672	3/4	2,423	3/4	3,173	3/4	3,923
3	188	3	938	3	1,688	3	2,438	3	3,189	3	3,939
1/4	203	1/4	953	1/4	1,704	1/4	2,454	1/4	3,204	1/4	3,954
1/2	219	1/2	969	1/2	1,719	1/2	2,470	1/2	3,220	1/2	3,970
3/4	234	3/4	985	3/4	1,735	3/4	2,485	3/4	3,235	3/4	3,986
4	250	4	1,000	4	1,751	4	2,501	4	3,251	4	4,001
1/4	266	1/4	1,016	1/4	1,766	1/4	2,516	1/4	3,267	1/4	4,017
1/2	281	1/2	1,032	1/2	1,782	1/2	2,532	1/2	3,282	1/2	4,033
3/4	297	3/4	1,047	3/4	1,797	3/4	2,548	3/4	3,298	3/4	4,048
5	313	5	1,063	5	1,813	5	2,563	5	3,314	5	4,064
1/4	328	1/4	1,078	1/4	1,829	1/4	2,579	1/4	3,329	1/4	4,079
1/2	344	1/2	1,094	1/2	1,844	1/2	2,595	1/2	3,345	1/2	4,095
3/4	359	3/4	1,110	3/4	1,860	3/4	2,610	3/4	3,360	3/4	4,111
6	375	6	1,125	6	1,876	6	2,626	6	3,376	6	4,126
1/4	391	1/4	1,141	1/4	1,891	1/4	2,641	1/4	3,392	1/4	4,142
1/2	406	1/2	1,157	1/2	1,907	1/2	2,657	1/2	3,407	1/2	4,158
3/4	422	3/4	1,172	3/4	1,922	3/4	2,673	3/4	3,423	3/4	4,173
7	438	7	1,188	7	1,938	7	2,688	7	3,439	7	4,189
1/4	453	1/4	1,204	1/4	1,954	1/4	2,704	1/4	3,454	1/4	4,204
1/2	469	1/2	1,219	1/2	1,969	1/2	2,720	1/2	3,470	1/2	4,220
3/4	485	3/4	1,235	3/4	1,985	3/4	2,735	3/4	3,485	3/4	4,236
8	500	8	1,250	8	2,001	8	2,751	8	3,501	8	4,251
1/4	516	1/4	1,266	1/4	2,016	1/4	2,767	1/4	3,517	1/4	4,267
1/2	531	1/2	1,282	1/2	2,032	1/2	2,782	1/2	3,532	1/2	4,283
3/4	547	3/4	1,297	3/4	2,048	3/4	2,798	3/4	3,548	3/4	4,298
9	563	9	1,313	9	2,063	9	2,813	9	3,564	9	4,314
1/4	578	1/4	1,329	1/4	2,079	1/4	2,829	1/4	3,579	1/4	4,330
1/2	594	1/2	1,344	1/2	2,094	1/2	2,845	1/2	3,595	1/2	4,345
3/4	610	3/4	1,360	3/4	2,110	3/4	2,860	3/4	3,611	3/4	4,361
10	625	10	1,375	10	2,126	10	2,876	10	3,626	10	4,376
1/4	641	1/4	1,391	1/4	2,141	1/4	2,892	1/4	3,642	1/4	4,392
1/2	656	1/2	1,407	1/2	2,157	1/2	2,907	1/2	3,657	1/2	4,408
3/4	672	3/4	1,422	3/4	2,173	3/4	2,923	3/4	3,673	3/4	4,423
11	688	11	1,438	11	2,188	11	2,938	11	3,689	11	4,439
1/4	703	1/4	1,454	1/4	2,204	1/4	2,954	1/4	3,704	1/4	4,455
1/2	719	1/2	1,469	1/2	2,219	1/2	2,970	1/2	3,720	1/2	4,471
3/4	735	3/4	1,485	3/4	2,235	3/4	2,985	3/4	3,736	3/4	4,487

GAUGE FROM TOP OF TANK.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.
 THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 02/08.
 L.B.D.M= 216'-5"

CHART IS CERTIFIED FOR THIS TANK ONLY.
 TH 02/18/08
 COMPUTED BY: LF & BC
 STRAPPED BY: SAYBOLT LP

O. Endrean