

SAYBOLT LP.
 Calibration Dept.
 1026 W. Elizabeth Ave.
 Linden, NJ 07036

1 CENTER
 INNAGE TABLE
 BARRELS

1 CENTER
 INNAGE TABLE
 BARRELS

GAUGE HEIGHT 15'-5 7/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.
0	3,678.99	0	4,081.71	0	4,492.61
1/4	3,698.56	1/4	4,100.29	1/4	4,500.92
1/2	3,698.74	1/2	4,108.87	1/2	4,509.24
3/4	3,705.72	3/4	4,117.44	3/4	4,517.55
1	3,714.30	1	4,126.02	1	4,525.86
1/4	3,722.87	1/4	4,134.53	1/4	4,534.18
1/2	3,731.45	1/2	4,143.05	1/2	4,542.49
3/4	3,740.03	3/4	4,151.56	3/4	4,550.80
1	3,748.61	1	4,160.07	1	4,559.12
1/4	3,757.18	1/4	4,168.38	1/4	4,567.43
1/2	3,765.76	1/2	4,176.70	1/2	4,575.74
3/4	3,774.34	3/4	4,185.01	3/4	4,584.06
1	3,782.92	1	4,193.32	1	4,592.37
1/4	3,791.49	1/4	4,201.64	1/4	4,600.69
1/2	3,800.07	1/2	4,209.95	1/2	4,609.00
3/4	3,808.65	3/4	4,218.26	3/4	4,617.31
1	3,817.23	1	4,226.58	1	4,625.63
1/4	3,825.80	1/4	4,234.89	1/4	4,633.95
1/2	3,834.38	1/2	4,243.20	1/2	4,642.26
3/4	3,842.96	3/4	4,251.52	3/4	4,650.59
1	3,851.53	1	4,259.83	1	4,658.91
1/4	3,860.11	1/4	4,268.15	1/4	4,667.23
1/2	3,868.69	1/2	4,276.46	1/2	4,675.54
3/4	3,877.27	3/4	4,284.77	3/4	4,683.86
1	3,885.84	1	4,293.09	1	4,692.17
1/4	3,894.42	1/4	4,301.40	1/4	4,699.82
1/2	3,893.00	1/2	4,309.71	1/2	4,703.80
3/4	3,911.58	3/4	4,318.03	3/4	4,710.38
1	3,920.15	1	4,326.34	1	4,717.17
1/4	3,928.73	1/4	4,334.65	1/4	4,722.51
1/2	3,937.31	1/2	4,342.97	1/2	4,727.86
3/4	3,945.89	3/4	4,351.28	3/4	4,733.21
1	3,954.46	1	4,359.59	1	4,738.56
1/4	3,963.04	1/4	4,367.91	1/4	4,742.48
1/2	3,971.62	1/2	4,376.22	1/2	4,746.40
3/4	3,980.20	3/4	4,384.53	3/4	4,750.32
1	3,988.78	1	4,392.85	1	4,754.23
1/4	3,997.36	1/4	4,401.16	1/4	4,758.12
1/2	4,005.93	1/2	4,409.47	1/2	4,759.20
3/4	4,014.51	3/4	4,417.79	3/4	4,761.59
1	4,023.09	1	4,426.10	1	4,764.18
1/4	4,031.67	1/4	4,434.42	1/4	4,766.35
1/2	4,040.24	1/2	4,442.73	1/2	4,768.53
3/4	4,048.82	3/4	4,451.04	3/4	4,767.71
1	4,057.40	1	4,459.35	1	4,768.98
1/4	4,065.98	1/4	4,467.67	1/4	4,769.36
1/2	4,074.56	1/2	4,475.98	1/2	4,769.83
3/4	4,083.13	3/4	4,484.30	3/4	4,769.83

GAUGE LOCATED 0'-9" OFF CENTRELINE AND 1'-4" FORWARD OF AFT BULKHEAD

GAUGES APPLY WHEN VESSEL IS ON EVEN KEEL

STRAPPED AND COMPUTED IN ACCORDANCE WITH API MPMB CHAPTER 2.7

THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 09/13.

CHART IS CERTIFIED FOR THIS TANK ONLY.
 COMPUTED BY: TH 09/10/13
 STRAPPED BY: BC 09/05/13
 SAYBOLT LP
O. Erickson

SAYBOLT INC.
 GULF COAST HEADQUARTERS
 P. O. BOX 4384
 PASADENA, TEXAS 77502

BARGE "PBL-1601"

2 CENTER

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-6 1/4"

IN.	10 FT.	IN.	11 FT.	IN.	12 FT.
0	2,987.68	0	2,982.78	0	3,237.87
1/4	2,993.41	1/4	2,988.51	1/4	3,243.60
1/2	2,999.14	1/2	2,974.24	1/2	3,249.34
3/4	2,704.87	3/4	2,979.97	3/4	3,255.07
1	2,710.60	1	2,985.70	1	3,260.80
1/4	2,716.33	1/4	2,991.43	1/4	3,266.53
1/2	2,722.07	1/2	2,997.16	1/2	3,272.26
3/4	2,727.80	3/4	3,002.89	3/4	3,277.99
2	2,733.53	2	3,008.63	2	3,283.72
1/4	2,739.26	1/4	3,014.36	1/4	3,289.45
1/2	2,744.99	1/2	3,020.09	1/2	3,295.19
3/4	2,750.72	3/4	3,025.82	3/4	3,300.92
3	2,756.45	3	3,031.55	3	3,306.65
1/4	2,762.18	1/4	3,037.28	1/4	3,312.38
1/2	2,767.91	1/2	3,043.01	1/2	3,318.11
3/4	2,773.65	3/4	3,048.74	3/4	3,323.84
4	2,779.38	4	3,054.47	4	3,329.57
1/4	2,785.11	1/4	3,060.21	1/4	3,335.30
1/2	2,790.84	1/2	3,065.94	1/2	3,341.03
3/4	2,796.57	3/4	3,071.67	3/4	3,346.77
5	2,802.30	5	3,077.40	5	3,352.50
1/4	2,808.03	1/4	3,083.13	1/4	3,358.23
1/2	2,813.76	1/2	3,088.86	1/2	3,363.96
3/4	2,819.50	3/4	3,094.59	3/4	3,369.69
6	2,825.23	6	3,100.32	6	3,375.42
1/4	2,830.96	1/4	3,106.06	1/4	3,381.15
1/2	2,836.69	1/2	3,111.79	1/2	3,386.88
3/4	2,842.42	3/4	3,117.52	3/4	3,392.61
7	2,848.15	7	3,123.25	7	3,398.34
1/4	2,853.88	1/4	3,128.98	1/4	3,404.07
1/2	2,859.61	1/2	3,134.71	1/2	3,409.80
3/4	2,865.35	3/4	3,140.44	3/4	3,415.53
8	2,871.08	8	3,146.17	8	3,421.26
1/4	2,876.81	1/4	3,151.91	1/4	3,427.00
1/2	2,882.54	1/2	3,157.64	1/2	3,432.73
3/4	2,888.27	3/4	3,163.37	3/4	3,438.46
9	2,894.00	9	3,169.10	9	3,444.19
1/4	2,899.73	1/4	3,174.83	1/4	3,449.92
1/2	2,905.46	1/2	3,180.56	1/2	3,455.65
3/4	2,911.19	3/4	3,186.29	3/4	3,461.38
10	2,916.93	10	3,192.02	10	3,467.11
1/4	2,922.66	1/4	3,197.75	1/4	3,472.84
1/2	2,928.39	1/2	3,203.48	1/2	3,478.57
3/4	2,934.12	3/4	3,209.21	3/4	3,484.30
11	2,939.85	11	3,214.95	11	3,489.99
1/4	2,945.58	1/4	3,220.68	1/4	3,495.72
1/2	2,951.31	1/2	3,226.41	1/2	3,501.45
3/4	2,957.04	3/4	3,232.14	3/4	3,507.18

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF THE COMPANY.

SAYBOLT INC.
Sydney Walker

SAYBOLT INC.
 GULF COAST HEADQUARTERS
 P. O. BOX 4364
 PASADENA, TEXAS 77502

BARGE "PBL-1601"

3 CENTER

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-6 1/2"

IN.	10 FT.	IN.	11 FT.	IN.	12 FT.
0	2,654.71	0	2,926.43	0	3,198.15
1/4	2,660.37	1/4	2,932.09	1/4	3,203.81
1/2	2,666.03	1/2	2,937.75	1/2	3,209.48
3/4	2,671.69	3/4	2,943.41	3/4	3,215.14
1	2,677.35	1	2,949.07	1	3,220.80
1 1/4	2,683.01	1 1/4	2,954.73	1 1/4	3,226.46
1 1/2	2,688.67	1 1/2	2,960.40	1 1/2	3,232.12
1 3/4	2,694.33	1 3/4	2,966.06	1 3/4	3,237.78
2	2,699.99	2	2,971.72	2	3,243.44
1/4	2,705.66	1/4	2,977.38	1/4	3,249.10
1/2	2,711.32	1/2	2,983.04	1/2	3,254.76
3/4	2,716.98	3/4	2,988.70	3/4	3,260.42
1	2,722.64	1	2,994.36	1	3,266.08
1 1/4	2,728.30	1 1/4	3,000.02	1 1/4	3,271.75
1 1/2	2,733.96	1 1/2	3,005.68	1 1/2	3,277.41
1 3/4	2,739.62	1 3/4	3,011.34	1 3/4	3,283.07
2	2,745.28	2	3,017.00	2	3,288.73
1/4	2,750.94	1/4	3,022.67	1/4	3,294.39
1/2	2,756.60	1/2	3,028.33	1/2	3,300.05
3/4	2,762.26	3/4	3,033.99	3/4	3,305.71
1	2,767.93	1	3,039.65	1	3,311.37
1 1/4	2,773.59	1 1/4	3,045.31	1 1/4	3,317.03
1 1/2	2,779.25	1 1/2	3,050.97	1 1/2	3,322.69
1 3/4	2,784.91	1 3/4	3,056.63	1 3/4	3,328.35
2	2,790.57	2	3,062.29	2	3,333.99
1/4	2,796.23	1/4	3,067.95	1/4	3,339.63
1/2	2,801.89	1/2	3,073.61	1/2	3,345.27
3/4	2,807.55	3/4	3,079.27	3/4	3,350.91
1	2,813.21	1	3,084.94	1	3,356.55
1 1/4	2,818.87	1 1/4	3,090.60	1 1/4	3,362.19
1 1/2	2,824.53	1 1/2	3,096.26	1 1/2	3,367.83
1 3/4	2,830.19	1 3/4	3,101.92	1 3/4	3,373.47
2	2,835.85	2	3,107.58	2	3,379.11
1/4	2,841.52	1/4	3,113.24	1/4	3,384.75
1/2	2,847.18	1/2	3,118.90	1/2	3,390.39
3/4	2,852.84	3/4	3,124.56	3/4	3,396.03
1	2,858.50	1	3,130.22	1	3,401.67
1 1/4	2,864.16	1 1/4	3,135.88	1 1/4	3,407.31
1 1/2	2,869.82	1 1/2	3,141.54	1 1/2	3,412.95
1 3/4	2,875.48	1 3/4	3,147.21	1 3/4	3,418.59
2	2,881.14	2	3,152.87	2	3,424.23
1/4	2,886.80	1/4	3,158.53	1/4	3,429.87
1/2	2,892.46	1/2	3,164.19	1/2	3,435.51
3/4	2,898.13	3/4	3,169.85	3/4	3,441.15
1	2,903.79	1	3,175.51	1	3,446.79
1 1/4	2,909.45	1 1/4	3,181.17	1 1/4	3,452.43
1 1/2	2,915.11	1 1/2	3,186.83	1 1/2	3,458.07
1 3/4	2,920.77	1 3/4	3,192.49	1 3/4	3,463.71

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF THE COMPANY.

SAYBOLT INC.



SAYBOLT INC.
 GULF COAST HEADQUARTERS
 P. O. BOX 4364
 PASADENA, TEXAS 77502

BARGE "PBL-1601"

2 CENTER

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-6 1/4"

IN.	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.
0	0	0	0	0	0	0	0	0	0	0
1/4	1.25	218.07	493.16	762.19	1,031.09	1,312.12	1,593.29	1,862.39	2,137.48	2,412.58
1/2	1.72	223.80	498.89	773.83	1,042.82	1,317.92	1,593.02	1,868.12	2,143.21	2,418.31
3/4	2.20	229.53	504.63	779.39	1,048.55	1,323.65	1,598.75	1,873.85	2,148.95	2,424.04
1	3.63	235.26	510.36	785.06	1,050.29	1,329.31	1,604.48	1,879.58	2,154.69	2,429.77
1 1/4	5.06	240.99	516.09	790.78	1,056.75	1,340.85	1,615.94	1,891.04	2,166.14	2,441.24
1 1/2	6.49	246.72	521.82	796.50	1,071.48	1,348.58	1,621.67	1,895.77	2,171.87	2,446.97
3/4	7.93	252.46	527.55	802.22	1,077.21	1,352.31	1,627.41	1,902.50	2,177.80	2,452.70
2	10.31	258.18	533.28	807.93	1,082.94	1,358.02	1,633.14	1,908.23	2,183.33	2,458.43
1 1/4	12.70	263.91	539.01	813.65	1,088.67	1,363.77	1,638.87	1,913.97	2,189.06	2,464.16
1 1/2	15.09	269.65	544.74	819.37	1,094.40	1,369.50	1,644.60	1,919.70	2,194.79	2,469.89
3/4	17.48	275.38	550.47	825.09	1,100.14	1,375.23	1,650.33	1,925.43	2,200.53	2,475.62
3	20.82	281.11	556.21	830.81	1,105.87	1,380.96	1,656.06	1,931.16	2,206.26	2,481.35
1 1/4	24.16	286.84	561.94	836.52	1,111.60	1,386.70	1,661.79	1,936.89	2,211.99	2,487.09
1 1/2	27.50	292.57	567.67	842.24	1,117.33	1,392.43	1,667.52	1,942.62	2,217.72	2,492.82
3/4	30.85	298.30	573.40	847.96	1,123.06	1,398.16	1,673.26	1,948.35	2,223.45	2,498.55
4	35.15	304.03	579.13	853.69	1,128.79	1,403.89	1,678.99	1,954.08	2,229.18	2,504.28
1 1/4	39.44	309.76	584.86	859.43	1,134.52	1,409.62	1,684.72	1,959.82	2,234.91	2,510.01
1 1/2	43.74	315.50	590.59	865.16	1,140.25	1,415.35	1,690.45	1,965.55	2,240.64	2,515.74
3/4	48.04	321.23	596.32	870.89	1,145.99	1,421.08	1,696.18	1,971.28	2,246.38	2,521.47
5	52.29	326.96	602.06	876.62	1,151.72	1,426.81	1,701.91	1,977.01	2,252.11	2,527.20
1 1/4	58.55	332.69	607.79	882.35	1,157.45	1,432.55	1,707.64	1,982.74	2,257.84	2,532.94
1 1/2	63.80	338.42	613.52	888.08	1,163.18	1,438.28	1,713.37	1,988.47	2,263.57	2,538.67
3/4	69.05	344.15	619.25	893.81	1,168.91	1,444.01	1,719.10	1,994.20	2,269.30	2,544.40
6	74.79	349.88	624.97	899.54	1,174.64	1,449.74	1,724.84	1,999.93	2,275.03	2,550.13
1 1/4	80.52	355.61	630.69	905.27	1,180.37	1,455.47	1,730.57	2,005.67	2,280.76	2,555.86
1 1/2	86.25	361.35	636.41	911.01	1,186.10	1,461.20	1,736.30	2,011.40	2,286.50	2,561.59
3/4	91.98	367.08	642.13	916.74	1,191.83	1,466.93	1,742.03	2,017.13	2,292.23	2,567.32
7	97.71	372.81	647.84	922.47	1,197.57	1,472.66	1,747.76	2,022.86	2,297.96	2,573.05
1 1/4	103.44	378.54	653.56	928.20	1,203.30	1,478.39	1,753.49	2,028.59	2,303.69	2,578.78
1 1/2	109.17	384.27	659.28	933.93	1,209.03	1,484.13	1,759.22	2,034.32	2,309.42	2,584.52
3/4	114.90	390.00	665.00	939.66	1,214.76	1,489.86	1,764.95	2,040.05	2,315.15	2,590.25
8	120.63	395.73	670.71	945.38	1,220.49	1,495.59	1,770.68	2,045.78	2,320.88	2,595.98
1 1/4	126.37	401.46	676.43	951.12	1,226.22	1,501.32	1,776.42	2,051.51	2,326.61	2,601.71
1 1/2	132.10	407.19	682.15	956.86	1,231.95	1,507.05	1,782.15	2,057.25	2,332.34	2,607.44
3/4	137.83	412.93	687.87	962.59	1,237.68	1,512.78	1,787.88	2,062.98	2,338.07	2,613.17
9	143.56	418.66	693.58	968.32	1,243.42	1,518.51	1,793.61	2,068.71	2,343.81	2,618.90
1 1/4	149.29	424.39	699.30	974.05	1,249.15	1,524.24	1,799.34	2,074.44	2,349.54	2,624.63
1 1/2	155.02	430.12	705.02	979.78	1,254.88	1,529.98	1,805.07	2,080.17	2,355.27	2,630.37
3/4	160.75	435.85	710.74	985.51	1,260.61	1,535.71	1,810.80	2,085.90	2,361.00	2,636.10
10	166.48	441.58	716.45	991.24	1,266.34	1,541.44	1,816.54	2,091.63	2,366.73	2,641.83
1 1/4	172.22	447.31	722.17	996.97	1,272.07	1,547.17	1,822.27	2,097.36	2,372.46	2,647.56
1 1/2	177.95	453.04	727.89	1,002.71	1,277.80	1,552.90	1,828.00	2,103.10	2,378.19	2,653.29
3/4	183.68	458.78	733.61	1,008.44	1,283.53	1,558.63	1,833.73	2,108.83	2,383.92	2,659.02
11	189.41	464.51	739.32	1,014.17	1,289.27	1,564.37	1,839.46	2,114.56	2,389.66	2,664.75
1 1/4	195.14	470.24	745.04	1,019.90	1,295.00	1,570.10	1,845.19	2,120.29	2,395.39	2,670.48
1 1/2	200.87	475.97	750.76	1,025.63	1,300.73	1,575.83	1,850.92	2,126.02	2,401.12	2,676.22
3/4	206.60	481.70	756.48	1,031.36	1,306.46	1,581.56	1,856.65	2,131.75	2,406.85	2,681.95

- 1) CAPACITY TABLE APPLIES ONLY WHEN BARGE IS ON EVEN KEEL.
- 2) CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK
- 3) BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
- 4) GAUGE POINT TO TOP LIP OF 8" GAUGE HATCH, OPPOSITE HINGE.

LOCATED 0'-10" OFF CENTERLINE AND 18'-4" FORWARD OF ART BULKHEAD.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF THE COMPANY.

SAYBOLT INC.


SAYBOLT INC.
 GULF COAST HEADQUARTERS
 P. O. BOX 4384
 PASADENA, TEXAS 77502

BARGE "PBL-1601"

2 CENTER

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-6 1/4"

IN.	10 FT.	IN.	11 FT.	IN.	12 FT.
0	2,687.68	0	2,962.78	0	3,237.87
1/4	2,698.41	1/4	2,988.51	1/4	3,243.60
1/2	2,699.14	1/2	2,974.24	1/2	3,249.34
3/4	2,704.87	3/4	2,979.97	3/4	3,255.07
1	2,710.60	1	2,985.70	1	3,260.80
1 1/4	2,716.33	1 1/4	2,991.43	1 1/4	3,266.53
1 1/2	2,722.07	1 1/2	2,997.16	1 1/2	3,272.26
3/4	2,727.80	3/4	3,002.89	3/4	3,277.99
2	2,733.53	2	3,008.62	2	3,283.72
1 1/4	2,739.26	1 1/4	3,014.35	1 1/4	3,289.45
1 1/2	2,744.99	1 1/2	3,020.08	1 1/2	3,295.18
3/4	2,750.72	3/4	3,025.82	3/4	3,300.92
3	2,756.45	3	3,031.55	3	3,306.65
1 1/4	2,762.18	1 1/4	3,037.28	1 1/4	3,312.38
1 1/2	2,767.91	1 1/2	3,043.01	1 1/2	3,318.11
3/4	2,773.65	3/4	3,048.74	3/4	3,323.84
4	2,779.38	4	3,054.47	4	3,329.57
1 1/4	2,785.11	1 1/4	3,060.21	1 1/4	3,335.30
1 1/2	2,790.84	1 1/2	3,065.94	1 1/2	3,341.03
3/4	2,796.57	3/4	3,071.67	3/4	3,346.77
5	2,802.30	5	3,077.40	5	3,352.50
1 1/4	2,808.03	1 1/4	3,083.13	1 1/4	3,358.23
1 1/2	2,813.76	1 1/2	3,088.86	1 1/2	3,363.96
3/4	2,819.50	3/4	3,094.59	3/4	3,369.69
6	2,825.23	6	3,100.32	6	3,375.42
1 1/4	2,830.96	1 1/4	3,106.06	1 1/4	3,381.15
1 1/2	2,836.69	1 1/2	3,111.79	1 1/2	3,386.88
3/4	2,842.42	3/4	3,117.52	3/4	3,392.61
7	2,848.15	7	3,123.25	7	3,398.34
1 1/4	2,853.88	1 1/4	3,128.98	1 1/4	3,404.07
1 1/2	2,859.61	1 1/2	3,134.71	1 1/2	3,409.80
3/4	2,865.35	3/4	3,140.44	3/4	3,415.53
8	2,871.08	8	3,146.17	8	3,421.26
1 1/4	2,876.81	1 1/4	3,151.91	1 1/4	3,426.99
1 1/2	2,882.54	1 1/2	3,157.64	1 1/2	3,432.72
3/4	2,888.27	3/4	3,163.37	3/4	3,438.45
9	2,894.00	9	3,169.10	9	3,444.18
1 1/4	2,899.73	1 1/4	3,174.83	1 1/4	3,449.91
1 1/2	2,905.46	1 1/2	3,180.56	1 1/2	3,455.64
3/4	2,911.19	3/4	3,186.29	3/4	3,461.37
10	2,916.93	10	3,192.02	10	3,467.10
1 1/4	2,922.66	1 1/4	3,197.75	1 1/4	3,472.83
1 1/2	2,928.39	1 1/2	3,203.48	1 1/2	3,478.56
3/4	2,934.12	3/4	3,209.22	3/4	3,484.29
11	2,939.85	11	3,214.95	11	3,489.99
1 1/4	2,945.58	1 1/4	3,220.68	1 1/4	3,495.72
1 1/2	2,951.31	1 1/2	3,226.41	1 1/2	3,501.45
3/4	2,957.04	3/4	3,232.14	3/4	3,507.18

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF THE COMPANY.

SAYBOLT INC.
Syrus Walker

SAYBOLT INC.
 GULF COAST HEADQUARTERS
 P. O. BOX 4364
 PASADENA, TEXAS 77502

BARGE "PBL-1601"

4 CENTER

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-8 3/4"

IN.	10 FT.	IN.	11 FT.	IN.	12 FT.
0	2,002.74	0	2,207.78	0	2,412.71
1/4	2,007.01	1/4	2,212.00	1/4	2,416.98
1/2	2,011.28	1/2	2,216.27	1/2	2,421.25
3/4	2,015.55	3/4	2,220.54	3/4	2,425.52
1	2,019.82	1	2,224.81	1	2,429.79
1 1/4	2,024.09	1 1/4	2,229.08	1 1/4	2,434.06
1 1/2	2,028.36	1 1/2	2,233.35	1 1/2	2,438.33
3/4	2,032.64	3/4	2,237.62	3/4	2,442.60
2	2,036.91	2	2,241.89	2	2,446.87
1 1/4	2,041.18	1 1/4	2,246.16	1 1/4	2,451.14
1 1/2	2,045.45	1 1/2	2,250.43	1 1/2	2,455.41
3/4	2,049.72	3/4	2,254.70	3/4	2,459.69
3	2,053.99	3	2,258.97	3	2,463.96
1 1/4	2,058.26	1 1/4	2,263.24	1 1/4	2,468.23
1 1/2	2,062.53	1 1/2	2,267.51	1 1/2	2,472.50
3/4	2,066.80	3/4	2,271.78	3/4	2,476.77
4	2,071.07	4	2,276.05	4	2,481.04
1 1/4	2,075.34	1 1/4	2,280.32	1 1/4	2,485.31
1 1/2	2,079.61	1 1/2	2,284.59	1 1/2	2,489.58
3/4	2,083.88	3/4	2,288.87	3/4	2,493.85
5	2,088.15	5	2,293.14	5	2,498.12
1 1/4	2,092.42	1 1/4	2,297.41	1 1/4	2,502.39
1 1/2	2,096.69	1 1/2	2,301.68	1 1/2	2,506.66
3/4	2,100.96	3/4	2,305.95	3/4	2,510.93
6	2,105.23	6	2,310.22	6	2,515.20
1 1/4	2,109.50	1 1/4	2,314.49	1 1/4	2,519.47
1 1/2	2,113.77	1 1/2	2,318.76	1 1/2	2,523.74
3/4	2,118.05	3/4	2,323.03	3/4	2,528.01
7	2,122.32	7	2,327.30	7	2,532.28
1 1/4	2,126.59	1 1/4	2,331.57	1 1/4	2,536.55
1 1/2	2,130.86	1 1/2	2,335.84	1 1/2	2,540.82
3/4	2,135.13	3/4	2,340.11	3/4	2,545.09
8	2,139.40	8	2,344.38	8	2,549.36
1 1/4	2,143.67	1 1/4	2,348.65	1 1/4	2,553.63
1 1/2	2,147.94	1 1/2	2,352.92	1 1/2	2,557.90
3/4	2,152.21	3/4	2,357.19	3/4	2,562.17
9	2,156.48	9	2,361.46	9	2,566.44
1 1/4	2,160.75	1 1/4	2,365.73	1 1/4	2,570.71
1 1/2	2,165.02	1 1/2	2,370.00	1 1/2	2,575.00
3/4	2,169.29	3/4	2,374.28	3/4	2,579.27
10	2,173.56	10	2,378.55	10	2,583.54
1 1/4	2,177.83	1 1/4	2,382.82	1 1/4	2,587.81
1 1/2	2,182.10	1 1/2	2,387.09	1 1/2	2,592.08
3/4	2,186.37	3/4	2,391.36	3/4	2,596.35
11	2,190.64	11	2,395.63	11	2,600.62
1 1/4	2,194.91	1 1/4	2,399.90	1 1/4	2,604.89
1 1/2	2,199.18	1 1/2	2,404.17	1 1/2	2,609.16
3/4	2,203.46	3/4	2,408.44	3/4	2,613.43

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF THE COMPANY.

SAYBOLT INC.
John W. Walker

SAYBOLT INC.
 GULF COAST HEADQUARTERS
 P O BOX 4364
 PASADENA, TEXAS 77502

BARGE "PBL-1601"

5 CENTER

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15.5 3/4"

IN.	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.
0	0.52	0	103.86	0	238.21	0	372.27	0	508.44	0
1/4	0.76	1/4	106.66	1/4	241.01	1/4	375.05	1/4	509.24	1/4
1/2	0.99	1/2	109.46	1/2	243.81	1/2	377.84	1/2	510.04	1/2
3/4	1.22	3/4	112.26	3/4	246.61	3/4	380.62	3/4	514.84	3/4
1	1.45	1	115.05	1	249.41	1	383.41	1	519.64	1
1/4	1.68	1/4	117.85	1/4	252.21	1/4	386.20	1/4	524.44	1/4
1/2	1.92	1/2	120.65	1/2	255.01	1/2	388.98	1/2	529.23	1/2
3/4	2.15	3/4	123.45	3/4	257.81	3/4	391.77	3/4	534.03	3/4
1	2.38	1	126.25	1	260.61	1	394.55	1	538.83	1
1/4	2.62	1/4	129.05	1/4	263.41	1/4	397.34	1/4	543.63	1/4
1/2	2.85	1/2	131.85	1/2	266.21	1/2	400.12	1/2	548.42	1/2
3/4	3.08	3/4	134.65	3/4	269.01	3/4	402.91	3/4	553.22	3/4
1	3.32	1	137.45	1	271.80	1	405.70	1	558.01	1
1/4	3.55	1/4	140.25	1/4	274.60	1/4	408.50	1/4	562.82	1/4
1/2	3.78	1/2	143.05	1/2	277.40	1/2	411.29	1/2	567.62	1/2
3/4	4.02	3/4	145.84	3/4	280.20	3/4	414.08	3/4	572.42	3/4
1	4.25	1	148.64	1	283.00	1	416.88	1	577.22	1
1/4	4.48	1/4	151.44	1/4	285.80	1/4	419.68	1/4	582.01	1/4
1/2	4.72	1/2	154.24	1/2	288.60	1/2	422.48	1/2	586.82	1/2
3/4	4.95	3/4	157.04	3/4	291.40	3/4	425.28	3/4	591.62	3/4
1	5.19	1	159.84	1	294.20	1	428.08	1	596.41	1
1/4	5.42	1/4	162.64	1/4	297.00	1/4	430.88	1/4	601.21	1/4
1/2	5.66	1/2	165.44	1/2	299.80	1/2	433.67	1/2	606.01	1/2
3/4	5.89	3/4	168.24	3/4	302.59	3/4	436.47	3/4	610.81	3/4
1	6.13	1	171.04	1	305.39	1	439.27	1	615.62	1
1/4	6.36	1/4	173.84	1/4	308.18	1/4	442.07	1/4	620.42	1/4
1/2	6.60	1/2	176.63	1/2	310.98	1/2	444.87	1/2	625.22	1/2
3/4	6.83	3/4	179.43	3/4	313.77	3/4	447.67	3/4	630.01	3/4
1	7.07	1	182.23	1	316.56	1	450.47	1	634.81	1
1/4	7.30	1/4	185.03	1/4	319.34	1/4	453.26	1/4	639.61	1/4
1/2	7.54	1/2	187.83	1/2	322.13	1/2	456.06	1/2	644.41	1/2
3/4	7.77	3/4	190.63	3/4	324.91	3/4	458.86	3/4	649.21	3/4
1	8.01	1	193.43	1	327.70	1	461.66	1	654.01	1
1/4	8.24	1/4	196.23	1/4	330.48	1/4	464.46	1/4	658.81	1/4
1/2	8.48	1/2	199.03	1/2	333.27	1/2	467.26	1/2	663.61	1/2
3/4	8.71	3/4	201.83	3/4	336.05	3/4	470.06	3/4	668.41	3/4
1	8.95	1	204.63	1	338.84	1	472.86	1	673.21	1
1/4	9.18	1/4	207.43	1/4	341.63	1/4	475.65	1/4	678.01	1/4
1/2	9.42	1/2	210.22	1/2	344.41	1/2	478.45	1/2	682.81	1/2
3/4	9.65	3/4	213.02	3/4	347.20	3/4	481.25	3/4	687.61	3/4
1	9.89	1	215.82	1	349.98	1	484.05	1	692.41	1
1/4	10.12	1/4	218.62	1/4	352.77	1/4	486.85	1/4	697.21	1/4
1/2	10.36	1/2	221.42	1/2	355.55	1/2	489.65	1/2	702.01	1/2
3/4	10.59	3/4	224.22	3/4	358.34	3/4	492.45	3/4	706.81	3/4
1	10.83	1	227.02	1	361.13	1	495.25	1	711.61	1
1/4	11.06	1/4	229.82	1/4	363.91	1/4	498.04	1/4	716.41	1/4
1/2	11.30	1/2	232.62	1/2	366.70	1/2	500.84	1/2	721.21	1/2
3/4	11.53	3/4	235.42	3/4	369.48	3/4	503.64	3/4	726.01	3/4

1) CAPACITY TABLE APPLIES ONLY WHEN BARGE IS ON EVEN KEEL.

2) CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK

3) BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH NIPMS CHAPTER 2.7.

4) GAUGE POINT TO TOP LIP OF 8" GAUGE HATCH, OPPOSITE HINGE.

LOCATED 0'-10" OFF CENTERLINE AND 7'-9" FORWARD OF AFT BULKHEAD.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF THE COMPANY.

SAYBOLT INC.

SAYBOLT INC.
 GULF COAST HEADQUARTERS
 P. O. BOX 4364
 PASADENA, TEXAS 77502

BARGE "PBL-1601"

5 CENTER

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-5 3/4"

IN.	10 FT.	IN.	11 FT.	IN.	12 FT.
0	1,312.47	0	1,446.80	0	1,561.14
1/4	1,315.26	1/4	1,449.80	1/4	1,563.94
1/2	1,318.06	1/2	1,452.40	1/2	1,566.74
3/4	1,320.86	3/4	1,455.20	3/4	1,569.54
1	1,323.66	1	1,458.00	1	1,572.34
1/4	1,326.46	1/4	1,460.80	1/4	1,575.13
1/2	1,329.26	1/2	1,463.60	1/2	1,577.93
3/4	1,332.06	3/4	1,466.39	3/4	1,580.73
2	1,334.86	2	1,469.19	2	1,583.53
1/4	1,337.66	1/4	1,471.99	1/4	1,586.33
1/2	1,340.45	1/2	1,474.79	1/2	1,589.13
3/4	1,343.25	3/4	1,477.59	3/4	1,591.93
3	1,346.05	3	1,480.39	3	1,594.73
1/4	1,348.85	1/4	1,483.19	1/4	1,597.52
1/2	1,351.65	1/2	1,485.99	1/2	1,600.32
3/4	1,354.45	3/4	1,488.78	3/4	1,603.12
4	1,357.24	4	1,491.58	4	1,605.92
1/4	1,360.04	1/4	1,494.38	1/4	1,608.72
1/2	1,362.84	1/2	1,497.18	1/2	1,611.52
3/4	1,365.64	3/4	1,499.98	3/4	1,614.32
5	1,368.44	5	1,502.78	5	1,617.11
1/4	1,371.24	1/4	1,505.58	1/4	1,619.91
1/2	1,374.04	1/2	1,508.37	1/2	1,622.71
3/4	1,376.84	3/4	1,511.17	3/4	1,625.51
6	1,379.63	6	1,513.97	6	1,628.31
1/4	1,382.43	1/4	1,516.77	1/4	1,631.11
1/2	1,385.23	1/2	1,519.57	1/2	1,633.91
3/4	1,388.03	3/4	1,522.37	3/4	1,636.71
7	1,390.83	7	1,525.17	7	1,639.51
1/4	1,393.63	1/4	1,527.97	1/4	1,642.31
1/2	1,396.43	1/2	1,530.76	1/2	1,645.11
3/4	1,399.23	3/4	1,533.56	3/4	1,647.91
8	1,402.02	8	1,536.36	8	1,650.71
1/4	1,404.82	1/4	1,539.16	1/4	1,653.51
1/2	1,407.62	1/2	1,541.96	1/2	1,656.31
3/4	1,410.42	3/4	1,544.76	3/4	1,659.11
9	1,413.22	9	1,547.56	9	1,661.91
1/4	1,416.02	1/4	1,550.36	1/4	1,664.71
1/2	1,418.82	1/2	1,553.15	1/2	1,667.51
3/4	1,421.62	3/4	1,555.95	3/4	1,670.31
10	1,424.41	10	1,558.75	10	1,673.11
1/4	1,427.21	1/4	1,561.55	1/4	1,675.91
1/2	1,430.01	1/2	1,564.35	1/2	1,678.71
3/4	1,432.81	3/4	1,567.15	3/4	1,681.51
11	1,435.61	11	1,569.95	11	1,684.31
1/4	1,438.41	1/4	1,572.74	1/4	1,687.11
1/2	1,441.21	1/2	1,575.54	1/2	1,689.91
3/4	1,444.00	3/4	1,578.34	3/4	1,692.71

STRAPPED BY: L-F-BC 01/03/97
 COMPUTED BY: SO 01/07/97
 CHECKED BY: LW 01/07/97

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF THE COMPANY.

SAYBOLT INC.
